DEPARTMENT OF HEALTH AND HUMAN SERVICES CENTERS FOR MEDICARE & MEDICAID SERVICES

PRINTED: 10/19/2015 FORM APPROVED OMB NO. 0938-0391

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	1	(X2) MULTIPLE CONSTRUCTION A. BUILDING		(X3) DATE SURVEY COMPLETED	
		155478 B. WING			R 10/14/2015		
NAME OF PROVIDER OR SUPPLIER TIMBERS OF JASPER THE				2909	EET ADDRESS, CITY, STATE, ZIP CODE HOWARD DR PER, IN 47546	1 10/	14/2013
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		ID PREFI TAG	x	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETION DATE
{F 000}	INITIAL COMMENTS		{F 0	00}			
		ost Survey Revisit (PSR) to d State Licensure Survey 5.					
	Survey dates: Octobe						
	Facility number: 000314 Provider number: 155478 AIM number: 100274210						
	Census bed type: SNF/NF 81 Total: 81						
	Census payor type: Medicare:9 Medicaid: 56 Other: 16 Total: 81						
	410 IAC 16.2-3.1 in re	er was found to be in FR Part 483, Subpart B and egards to the PSR to the tate Licensure Survey.					
	Quality review comple 16, 2015.	eted by #02748 on October					
LABORATORY	DIRECTOR'S OR PROVIDER/S	SUPPLIER REPRESENTATIVE'S SIGNATUI	RE		TITLE		(X6) DATE

(X6) DATE TITLE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.